Appendix C: State and National Performance Measures, MCH Block Grant

State Performance Measures

	Year	Rate
SP 1. The percent of pregnancies (live births, fetal deaths, abortions) that are unintended.	2003	55
SP 2. The percent of pregnant women abstaining from smoking.	2003	89
SP 3. The percent of women who receive counseling from their prenatal health care provider on tests for identifying birth defects or genetic disease.	2002	89
SP 4. Establish a sustainable strategy for assessing the prevalence of children with special health care needs		Process Measure
SP 5. The rate of youth using tobacco products	2003	9.2
SP 6. The percent of women who are screened for domestic violence during their prenatal care visits.	2002	46
SP 7. Increase the capacity of OMCH to assess mental health needs of the child and adolescent population and to promote early identification, prevention and intervention services.		Process Measure
SP 8. The percent of women who are screened during prenatal care visits for smoking, alcohol use, illegal drug use, HIV status, and postpartum birth control plans.	2002	56
SP 9. Develop and implement a set of measurable indicators and a strategic plan to improve nutrition status among the MCH population, initially focusing on food security; that is, absence of skipped meals or hunger due to lack of food.	2003	Process Measure
SP 10. Increase statewide system capacity to promote health and safety in child care.		Process Measure

Appendix C: National Performance Measures

	Year	Rate
Percent of newborns in the State screened for conditions mandated by their State-sponsored newborn screening programs (e.g. PKU and hemoglobinopathies) and receive appropriate follow-up care as defined by their State	2003	89.3
The percent of children with special health care needs age 0 to 18 whose families partner in decision-making at all levels and are satisfied with the services they receive	2003	54.9
The percent of children with special health care needs age 0 to 18 who receive coordinated, ongoing, comprehensive care within a medical home.	2003	53.6
The percent of children with special health care needs whose families have adequate private and/or public insurance to pay for the services they need.	2003	64.4
The percent of children with special health care needs age 0 to 18 whose families report the community-based service system are organized so they can use them easily.	2003	74.1
The percentage of youth with special health care needs who received the services necessary to make transitions to all aspects of adult life.	2003	5.8
Percent of children through age 2 who have completed immunizations for Measles, Mumps, Rubella, Polio, Diphtheria, Tetanus, Pertusis, haemophilus Influenza, Hepatitis B.	2003	75.3
The birth rate (per 1,000) for teenagers ages 15 through 17 years.	2003	15.3
Percent of third grade children who have received protective sealants on at least one permanent molar tooth.	2003	55.5
The rate of deaths to children ages 1-14 caused by motor vehicle crashes per 100,000 children.	2003	2.9
Percentage of mothers who breastfeed their infants at hospital discharge.	2002	87
Percentage of newborns that have been screened for hearing impairment before hospital discharge.	2004	85.0
Percent of children without health insurance.	2004	6.0
Percent of potentially Medicaid-eligible children who have received a service paid by the Medicaid Program.	2003	88.9
Percent of very low birth weight live births.	2003	1.0
The rate (per 100,000) of suicide deaths among youths 15-19.	2003	9.6
Percent of very low birth weight infants delivered at facilities for high-risk deliveries and neonates.	2003	83.4
Percent of infants born to pregnant women receiving prenatal care beginning in the first trimester.	2003	81.5

Appendix C: Federal Outcome Measures, MCH Block Grant

		Year	Rate
1.	The infant mortality rate per 1,000 live births.	2003	5.6
2.	The ratio of the black infant mortality rate to the white infant mortality rate.	2003	1.7
3.	The neonatal mortality rate per 1,000 live births.	2003	3.8
4.	The postneonatal mortality rate per 1,000 live births	2003	1.8
5.	The perinatal mortality rate per 1,000 live births	2003	9.1
6.	The child death rate per 100,000 for children ages 1-14	2001	18.5

New State Performance Measures, 2005-2009

	Year	Rate
SP 1. The percent of pregnancies that are unintended.	2005	
SP 2. The percent of pregnant women abstaining from smoking.	2005	
SP 3. The percent of women who are screened during prenatal care for smoking, alcohol use, illegal drug use, HIV status, postpartum birth control plans, domestic violence and receive counseling on tests for birth defects or genetic diseases.	2005	
SP 4. Percent of children and youth who have people they can turn to for help when they feel sad or hopeless.	2005	
SP 5. Increase use of Bright Futures materials and principles by health, social service and education providers in Washington State.	2005	Process Measure
SP 6. Reduce the proportion of children 6-8 years old with dental caries experience in primary and permanent teeth.	2005	
SP 7. Increase statewide system capacity to promote health, safety, and school readiness of children birth to kindergarten entry.	2005	Process Measure

Health Status Indicators, MCH Block Grant

Core Health Status Indicators

Development Health Status Indicators

Please see Health Status Indicator Notes for more information. The notes are posted on the Maternal and Child Health (MCH) Assessment webpage.

C1	The rate of children hospitalized for asthma (ICD-9 Codes: 493.0-494.9) per 10,000 children less than five years of age.	2003	25.8%
C2a	The percent of Medicaid enrollees less than one year during the reporting year who received at least one initial or periodic screens.	2003	98.6%
C2b	The percent of State Children Health Insurance Program (SCHIP) enrollees whose age is less than one during the reporting year who receive at least one periodic screen.	2001	85.0%
C3	The percent of women (15 through 44) with a live birth during the reporting year whose observed to expected prenatal visits are greater than or equal to 80 percent on the Kotelchuck Index.	2003	66.3%
C4a	The percent of live births weighing less than 2,500 grams	2003	6.0%
C4b	The percent of live singleton births weighing less than 2,500 grams.	2003	4.6%
C5a	The percent of live births weighing less than 1,500 grams.	2003	1.0%
C5b	The percent of live singleton births weighing less than 1,500 grams.	2003	0.8%
Сба	Percent of low birth weight by	2003	6.6%, 5.5%, 6.0%

	N 1 1 1 11		
	Medicaid enrollees,		
	non-Medicaid enrollees and total		
	population.		
C6b	Percent of infant deaths per 1,000	2003	6.7%, 4.4%, 5.4%
	live births by		
	Medicaid enrollees, non-Medicaid		
	enrollees and		
	total population.		
C6c	Percent of pregnant women	2003	72.3%, 89.6%,
Coc	entering care in the first	2003	81.6%
	_		81.070
	trimester by Medicaid enrollees,		
	non-Medicaid		
	enrollees and total population.		
C6d	Percent of pregnant women with	2003	62.0%, 73.3%,
	adequate prenatal		68.1%
	care (observed to expected		
	prenatal visits is greater		
	than or equal to 80%, Kotelchuck		
	index) by		
	Medicaid enrollees, non-Medicaid		
	enrollees and		
	total population.		
D1a	The death rate per 100,000 due to	2003	7.2
Dia	unintentional	2003	7.2
	injuries among children aged 14		
D11	years and younger.	2002	2.0
D1b	The death rate per 100,000 due to	2003	2.9
	unintentional		
	injuries due to motor vehicle		
	crashes among children aged 14		
	years and younger.		
D1c	The death rate per 100,000 due to	2003	18.8
	unintentional		
	injuries due to motor vehicle		
	crashes among youth		
	aged 15 years through 24 years.		
D2a	The rate per 100,000 of all	2003	134.8
1524	nonfatal injuries among	2003	151.0
	children aged 14 years and		
D2h	younger. The rate per 100 000 of all	2002	22.0
D2b	The rate per 100,000 of all	2003	23.8
	nonfatal injuries due to		
	motor vehicle crashes among		
	children aged 14 years and		
	younger.		

D2c	The rate per 100,000 of all nonfatal injuries due to	2003	116.3
	motor vehicle crashes among		
	youth aged 15 through		
D2	24 years.	2004	12.1
D3a	The rate per 1,000 women aged 15 through 19 years with a reported	2004	13.1
	case of chlamydia.		
D3b	The rate per 1,000 women aged 20	2004	15.2
	through 44 years with a reported		
	case of chlamydia.		
D4	The percent of EPSDT eligible	2003	55.0
	children aged 6		
	through 9 years who have		
	received any dental services		
D5	during the year. The percent of State SSI	2004	7.7%
D3	beneficiaries less than 16 years	2004	7.770
	old receiving rehabilitation		
	services from State Children with		
	Special Health Care Needs		
	(CSHCN) programs.		
D9			
	Percent of children 0-19 years in	2004	24.8%
	households headed		
	by single parent.	2002	10.004
	Percent of children 0-19 years in TANF.	2003	10.0%
	Number of children 0-19 years	2003	715,168
	enrolled in		
	Medicaid.	2002	15 276
	Number of children 0-19 years enrolled in CHIP.	2003	15,276
	Number of children 0-19 years in	2003	10,994
	Foster Care by		
	Number of children 0, 10 years in	2002	200 576
	Number of children 0-19 years in Food Stamp	2003	298,576
	Program.		
	Number of children 0-19 years in	2004	150,773
	WIC.		
	Rate (per 100,000) of juvenile	2003	2,524
	crime arrests for		
	children 0-19 yrs.		_
	Percent of High School Drop	2003	6.7
	Outs, grades 9-12.		